

SECTION - 1

# SAFFTY DATA SHFFT

Hydroxi Pro Concentrate Revision Date 2/29/2016

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Hydroxi Pro Concentrate Item HPC-128C

Product Use Hard Surface Cleaner

Company Name Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2B; SKIN-Category 2

Irritant (skin)

WARNING Causes eye irritation, Causes skin irritation

May be harmful if swallowed, Avoid eye or skin contact, and inhalation of mist, Use personal protective equipment as

required, Wash thoroughly after handling, Avoid release into the environment

**COMPOSITION INFORMATION** SECTION - 3 (Exact percentage of the listed chemicals of composition has been withheld as a trade secret) **CHEMICAL NAME COMMON NAME AND SYNONYMS** CAS# **IMPURITIES PERCENT** Unknown Detergent Supplier Proprietary Detergent Blend Supplier 1 - 8% Proprietary Hydrogen Peroxide 7722-84-1 4.08%

SECTION – 4 FIRST AID MEASURES

**EYE CONTACT** Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

Eyes Can cause eye irritation, redness, tearing, by direct product eye contact

**Skin** Can cause skin irritation, redness, drying or cracking

**Inhalation** Spray mist may cause mild irritation

**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning sensation, by direct product eye contact

Skin Causes skin irritation, redness, defatting of the skin which may lead to dermatitis

**Inhalation** Spray mist may cause irritation, to nose, throat or mucus membranes

**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Symptoms may include,

vomiting, abdominal pain, nausea or diarrhea

SECTION - 5 FIRE FIGHTING MEASURES

**Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel,

brass

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

#### SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Ventilate area, Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

**Containment** Use rags, towels, absorbent socks or pads to prevent spill from spreading

Clean Up Procedures

Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

### SECTION - 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, and adequate ventilation, Avoid eye and skin contact, Avoid inhalation of

mist, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple

rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials, Avoid storing in direct sunlight, Stored above 4.4°C (40°F) and below 49°C (120°F)

**Incompatible Materials** Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper,

nickel, brass

# SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Hydrogen Peroxide	1 ppm (1.4 mg/m³)		1 ppm (1.4 mg/m³)		
Unknown Detergent	None Established				EI

#### PERSONAL PROTECTIVE EQUIPMENT








Impervious Chemical Gloves



(Recommended)





# SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.00
Flammable Limits	ND	pH (± 0.3)	6.0 - 6.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Orange	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 93%	Partition Coefficient	ND
VOC	< 0.3%	Molecular Weight (g/mol)	ND
LVP-VOC	0.00%	<b>Decomposition Temperature</b>	ND

# SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored above 4.4°C (40°F) and below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials, Direct sunlight

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper,

nickel, brass

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Page 3 of 4 Hydroxi Pro Concentrate Revision Date 2/29/2016

#### SECTION – 11 TOXICOLOGICAL INFORMATION

### **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

Eyes Can cause eye irritation, redness, tearing, by direct product eye contact

**Skin** Can cause skin irritation, redness, drying or cracking

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning sensation, by direct product eye contact

Skin Causes skin irritation, redness, defatting of the skin which may lead to dermatitis

**Inhalation** Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Symptoms may include,

vomiting, abdominal pain, nausea or diarrhea

Acute Tox Calculated Oral: 10,883 mg/kg Dermal: 13,153 mg/kg Inhaled: 17.1 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

**Additional Info** 

Target Organs Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA NA

### MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

#### **COMPONENTS ACUTE TOXICITY**

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
Hydrogen Peroxide	LD50	Oral	Rat	1,270 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Inhaled	Rat	2.0 mg/L	4 Hour (Mist)	4 (>1.0, ≤5 mg/L)
Unknown Detergent	LD50	Oral	Rat	>5,000 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rat	3,394 mg/kg		(>2000 mg/kg)

#### SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME	<u> Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Hydrogen Peroxide	LC50	Fathead Minnow (Pimephales promelas)	16.4 mg/L	96 Hours	3 (>10, ≤100 mg/L)
Unknown Detergent	EC50	Water Flea (Daphnia magna)	> 80 mg/L		3 (>10, ≤100 mg/L)
	LC50	Fish (Unknown Species)	> 100  mg/L		4 (>100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life

# SECTION – 13 DISPOSAL CONSIDERATIONS

#### DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

#### **ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

### SECTION – 14 TRANSPORT INFORMATION

### **DOT CLASSIFICATION**

UN Number Proper Shipping Name n.o.s. (Chemicals ) or "Limits"

Not Regulated Non Regulated Material

Hazard ClassPacking GroupLabel CodesReportable Quantity (lbs)ResponseMarine PollutantHazard LabelSecondaryNoneNoneNone128No

**Additional Info:** 

Page 4 of 4	Hydroxi Pro Concentrate					Revision Da	ate	2/29/2016	
SECTION – 15 REGULATOR	RY INFORMATION								
TSCA									
CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Hea	alth And Safety	Sec	4(a) Chemical	Test Rules	Sec 12(l	b) Expor	rt Notification
Unknown Detergent	Yes								
Hydrogen Peroxide	Yes								
REPORTABLE QUANTITIES	Extremely	Hazardous	Reportable Qu	antity	Emission Rep	orting			
CHEMICAL NAME	EPCRA TPQ Sec 302	EPCRA RQ Sec 3	04 CERCLA RQ S	ec 103	TRI Sec 31	13	RCRA Code	RMF	P TQ Sec 112
Hydrogen Peroxide (> 52%)			1000						
SARA	Section 31	1		Sectio	n 311 / 312 H	azards			
CHEMICAL NAME	Hazardous Che	mical A	cute Cl	nronic	Flamm	able	Pressure		Reactive
Unknown Detergent	Yes		Yes						
Hydrogen Peroxide	Yes		Yes	Yes					Yes
RIGHT TO KNOW			STATE						
CHEMICAL NAME	CA CT	FL IL	LA NJ	NY	PA M	II MN	N MA	RI	WI
Hydrogen Peroxide			Yes		Yes		Yes		
CALIFORNIA		WARNING! This	product contains	s chemi	cals known t	o the stat	te of Californ	nia to c	ause:
CHEMICAL NAME	CAS#	Birth Defects	Reproducti	ive Harn	n Ca	rcinogen		Develo	pmental
None Listed									
CLEAN AIR WATER ACTS		Clean Air Acts	3			Clear	n Water Acts	;	
CHEMICAL NAME	CAS#	HAP	Ozone Class 1	Ozon	e Class 2	HS	PP	)	TP
None Listed									
INTERNATIONAL REGULATIONS	- The components of	this product are lis	sted on the chemic	al inven	tories of the fo	ollowing co	ountries:		
CHEMICAL NAME	Australia	Canada	Europe (EINE	CS)	Japan		Korea		UK
Hydrogen Peroxide	Yes	Yes	Yes		Yes		Yes		Yes
WHMIS Classification									
CHEMICAL NAME	DSL	Class Descrip	ption						
I and the second se									

Oxidizing Material

### SECTION – 16 OTHER INFORMATION

I EGEND DESCRIPTION

Hydrogen Peroxide

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Yes

С

# Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.