

Prepared to US-OSHA Standards

SDS Revision: 3.0

SDS Revision Date: 10Jan19

B4 Brands AVANT[®] FOAMING HAND SANITIZER

1.1	COLICT AND COME						
	PRODUCT AND COMPANY IDENTIFICATION						
1 .	Product Name:	B4 Brands AVANT [®] FOAMING HAND SANITIZER					
1.2	Product Code:	12094FF					
	Product Uses & Restrictions:	OTC Antimicrobial Hand Sanitizer for consumer and occupational use.					
	Supplier Name:	B4 Brands					
	Supplier Address:	1001 North Washington Street					
	Business Phone:	1-888-667-6066					
	Business Email:	www.b4brands.com					
	Emergency Phone:	INFOTRAC: 1-800-535-5053 (North America) +1-352-323-3500 (Outside North America)					
		e packaged product and contains information for an occupational, or workplace, setting.					
	HAZARDS IDENTIFICATION						
	Classification of the		Physical Hazards: Flammable Liquid - Category 3				
	Substance or		•	Irritation - Category 2A			
	Mixture:		al Hazards: Not				
2.2	Labeling Elements:		al Word: Warning		Hazard		
				ble Liquid and Vapour. Causes serious eye irritation.	Pictograms:		
				Keep away from heat, hot surfaces, sparks, open flames and	\wedge		
				king. Keep container tightly closed. Store in well ventilated			
				Rinse cautiously with water for several minutes. Remove easy to do. Continue rinsing. If eye irritation persists: Get	<u><u>v</u></u>		
				dical advice is needed, have product container or label at	\sim		
				Idren. Read label before use. Dispose of waste and residue	∧		
				rity requirements.			
					\sim		
2.3	Other Hazards:	None known.					
		1					
3 CO	3. COMPOSITION / INFORMATION ON INGREDIENTS						
10.00	MPOSITION / INFO	RMATION	DN INGREDIE	NTS			
Mixtur		RMATION C	DN INGREDIE	NTS			
Mixtur		RMATION C	ON INGREDIE CAS No.	NTS GHS Hazard Classification	% by Weight		
Mixtur	'e: ICAL NAME	RMATION C			% by Weight 60 - 65		
Mixtur CHEM Ethanc	re: IICAL NAME		CAS No. 64-17-5	GHS Hazard Classification Flammable Liquid, Category 2	60 - 65		
Mixtur CHEM Ethanc There	re: ICAL NAME of are no other ingredients	present in the	CAS No. 64-17-5 mixture which, wi	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A	60 - 65 rations applicable,		
Mixtur CHEM Ethanc There	re: ICAL NAME ol are no other ingredients issified as physical, healt	present in the	CAS No. 64-17-5 mixture which, wi	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concent	60 - 65 rations applicable,		
Mixtur CHEM Ethanc There are cla	re: ICAL NAME ol are no other ingredients issified as physical, healt	present in the	CAS No. 64-17-5 mixture which, wi	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concent	60 - 65 rations applicable,		
Mixtur CHEM Ethanc There are cla this sec	re: ICAL NAME ol are no other ingredients issified as physical, healt	present in the h or environme	CAS No. 64-17-5 mixture which, wi	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concent	60 - 65 rations applicable,		
Mixtur CHEM Ethanc There are cla this sec	re: IICAL NAME ol are no other ingredients issified as physical, heali ction.	present in the th or environme	CAS No. 64-17-5 mixture which, wi ental hazards, or	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concent	60 - 65 rations applicable, equire reporting in		
Mixtur CHEM Ethanc There are cla this see 4. FIF 4.1	e: ICAL NAME of are no other ingredients issified as physical, healt ction.	present in the th or environme S <u>Ingestion</u> : In c water to drink.	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concent have been assigned a workplace exposure limit, and hence re- do not induce vomiting without medical advice. Give victim sec thing by mouth to an unconscious person. Seek medical attention	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary.		
Mixtur CHEM Ethanc There are cla this see 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, healt ction. RST AID MEASURES Description of First	present in the th or environme S <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concent have been assigned a workplace exposure limit, and hence re- do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if		
Mixtur CHEM Ethanc There are cla this see 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, healt ction. RST AID MEASURES Description of First	present in the th or environme S <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concent have been assigned a workplace exposure limit, and hence re- do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact use rinsing. If eye irritation persists: Get medical advice/attenti	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on.		
Mixtur CHEM Ethanc There are cla this see 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, healt ction. RST AID MEASURES Description of First	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs o	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- do not induce vomiting without medical advice. Give victim sec thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact ue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on.		
Mixtur CHEM Ethanc There are cla this see 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, healt ction. RST AID MEASURES Description of First	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs of medical attent	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- do not induce vomiting without medical advice. Give victim sec hing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact ue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek		
Mixtur CHEM Ethanc There are cla this see 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, healt ction. RST AID MEASURES Description of First	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact ue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. Several minutes area medical advice and advice area with plenty of water and advice and adverse reaction or if symptoms persist. Several minutes area medical advice area medical advice area medical statemedical advices area medical advice and advice area medical advice area medical advice and adverse reaction or if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek		
Mixtur CHEM Ethanc There : are cla this sec 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, healt ction. RST AID MEASURES Description of First Aid Measures:	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- do not induce vomiting without medical advice. Give victim sec hing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact ue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek		
Mixtur CHEM Ethanc There a are cla this se 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, heal ction. RST AID MEASURES Description of First Aid Measures: Most Important	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r event of an ac	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres dverse reaction o	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. as or irritation occurs, remove victim to fresh air. Seek medical r if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek I attention in the		
Mixtur CHEM Ethanc There a are cla this se 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, heal ction. RST AID MEASURES Description of First Aid Measures: Most Important Symptoms and	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r event of an ac Direct contact	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres dverse reaction o	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact ue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. Several minutes area medical advice and advice area with plenty of water and advice and adverse reaction or if symptoms persist. Several minutes area medical advice area medical advice area medical statemedical advices area medical advice and advice area medical advice area medical advice and adverse reaction or if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek I attention in the		
Mixtur CHEM Ethanc There a are cla this se 4. FIF 4.1	re: ICAL NAME of are no other ingredients issified as physical, heal ction. RST AID MEASURES Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r event of an ac	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres dverse reaction o	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. as or irritation occurs, remove victim to fresh air. Seek medical r if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek I attention in the		
Mixtur CHEM Ethanc There a are cla this see 4. FIF 4.1	e: ICAL NAME of are no other ingredients issified as physical, healt ction. RST AID MEASURES Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute and Delayed:	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r event of an ac Direct contact	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres dverse reaction o	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. as or irritation occurs, remove victim to fresh air. Seek medical r if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek I attention in the		
Mixtur CHEM Ethanc There a are cla this see 4. FIF 4.1 4.2	re: ICAL NAME ol are no other ingredients issified as physical, heal ction. RST AID MEASURES Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute and Delayed: Indication of	present in the th or environme <u>S</u> <u>Ingestion</u> : In c water to drink. <u>Eyes</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r event of an ac Direct contact	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres dverse reaction o	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. as or irritation occurs, remove victim to fresh air. Seek medical r if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek I attention in the		
Mixtur CHEM Ethanc There a are cla this see 4. FIF 4.1 4.2	re: ICAL NAME of are no other ingredients issified as physical, heal ction. RST AID MEASURES Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute and Delayed: Indication of Immediate Medical	present in the th or environme <u>S</u> <u>Ingestion</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r event of an ac Direct contact redness.	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres dverse reaction o	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. as or irritation occurs, remove victim to fresh air. Seek medical r if symptoms persist. ause serious eye irritation. Symptoms may include stinging, te	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek I attention in the earing, and		
Mixtur CHEM Ethanc There a are cla this see 4. FIF 4.1 4.2	re: ICAL NAME ol are no other ingredients issified as physical, heal ction. RST AID MEASURES Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute and Delayed: Indication of	present in the th or environme <u>S</u> <u>Ingestion</u> : In case present and e <u>Skin</u> : If signs of medical attent <u>Inhalation</u> : If r event of an ac Direct contact redness.	CAS No. 64-17-5 mixture which, wi ental hazards, or case of ingestion, . Never give anyt of eye contact, ri asy to do. Contin of irritation to the tion in the event of espiratory distres dverse reaction o	GHS Hazard Classification Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A ithin the current knowledge of the supplier and in the concentr have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attentions inse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attention skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. as or irritation occurs, remove victim to fresh air. Seek medical r if symptoms persist.	60 - 65 rations applicable, equire reporting in everal glasses of tion if necessary. ct lenses, if on. d soap. Seek I attention in the earing, and		



Prepared to US-OSHA Standards

B4 Brands AVANT[®] FOAMING HAND SANITIZER

SDS Revision: 3.0

5. FI	RE FIGHTING MEAS	SURES					
5.1	Extinguishing Media:	<u>Suitable Extinguishing Media:</u> Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. <u>Unsuitable Extinguishing Media:</u> None known.					
5.2	Specific Hazards:	Warning! Flammable liquid and vapor. When heated above the flash point, vapours may burn or form explosive mixture with air. May produce oxides of carbon and/or nitrogen on combustion.					
5.3	Special Protective Equipment and Precautions for Firefighters:	Wear self-contained breathing apparatus and full personal protective gear. Use standard firefighting procedures.					
6. A	CCIDENTAL RELEAS	SE MEASURES					
6.1	Personal						
	Precautions, Protective Equipment and Emergency Procedures:	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary personnel away.					
6.2	Environmental Precautions:	Dike or contain spill to prevent from entering drains. Avoid direct release to drains, surface and ground water			ce and ground water.		
6.3	Methods and Material for Containment and Cleaning Up:	Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Dispose of all washings, sweepings, and absorbents in accordance with federal, state and local regulations. Use non-sparking tools and equipment. Take action to prevent static discharges.					
7 H	ANDLING AND STO	RAGE					
7.1			ot curfaçãos spai	ks, open flames and of	ther ignition sources. Litil	izo safo handling and	
	Handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Utilize safe handling and transportation techniques to avoid spillage or rupture of the product. Ensure adequate ventilation in the workplace. Avoid direct eye contact. Do not eat, drink, or smoke while handling. Wear appropriate personal protective equipment (see Section 8). Routinely wash work clothing and protective equipment. Observe good hygiene practices.					
7.2	Conditions for Safe Storage:	Store in a cool, dry, and well-ventilated area away from direct sun-light and incompatible materials (see Section 10). Do not store near heat, sparks, open flames and other ignition sources. Store at temperatures 4 to 40°C (39 to 104°F).					
	XPOSURE CONTRO	LS / PERSONAL PR	OTECTION				
8.1	Control Parameters:		CAS		Occupational Exposure Limits		
		CHEMICAL NAME	Number	OSHA PEL (TWA)	NIOSH REL (TWA)	ACGIH TLV (STEL)	
		Ethanol	64-17-5	1000 ppm 1900 mg/m ³	1000 ppm 1900 mg/m ³	1000 ppm	
8.2	Engineering Controls:	Provide adequate ventilation in the workplace to maintain airborne levels below recommended exposure limits.					
8.3	Respiratory Protection:	NIOSHA approved respirator in accordance with 29 CFR 1910.134 if airborne exposure limits are exceeded.					
8.4	Eye Protection:	Avoid eye contact. Wear protective eyewear (e.g., safety glasses with side-shield) if eye contact hazards exist in the workplace					
8.5	Skin Protection:	in the workplace. No special skin protection is required under typical circumstances of use and handling.					
9. P	HYSICAL AND CHEM	MICAL PROPERTIES	8				
9.1	Appearance:	Clear, colorless liquid					
9.2	Odor:	Alcohol					
9.3	Odor Threshold:	No data available on thi	s product				
9.4	pH:	6.0 - 8.0	•				
9.5	Melting Point:	No data available on thi	s product				
9.6	Freezing Point:	No data available on thi					
9.7	Initial Boiling Point/Boiling Range:	No data available on this product					
9.8	Flashpoint:	27°C (80.6°F) - Closed	Сир				



Prepared to US-OSHA Standards

B4 Brands AVANT[®] FOAMING HAND SANITIZER

SDS Revision: 3.0

9.9	Evaporation Rate:	No data available on this product		
	Flammability			
9.10	(solid, gas):	No data available on this product		
9.11	Upper/Lower			
	Flammability or	UEL: 19.0% (ethanol)		
	Explosive Limits:	LEL: 3.3% (ethanol)		
9.12	Vapor Pressure:	No data available on this product		
	Vapor Density:	No data available on this product		
	Relative Density			
5.14	(water=1.0):	0.890 - 0.910		
9.15	Solubility:	Soluble in water		
	Partition Coefficient			
5.10	(n-octanol/water):	No data available on this product		
9.17	Autoignition	No data available on this product		
	Temperature:			
9.18	Decomposition	No data available on this product		
	Temperature:			
	Viscosity:	No data available on this product		
9.20	Other Information:	No relevant additional information available on this product		
10.5				
	TABILITY AND REA			
	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.		
	Chemical Stability:	This product is stable under normal handling and storage conditions.		
10.3	Possibility of			
	Hazardous	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.		
	Reactions:			
110 /	Conditions to Avoid	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.		
	Conditions to Avoid:	shoet carnight, oxition of high or low temperatures, spans, open name, and other ignition sources.		
10.5	Incompatible Materials:	Strong acids, bases, and oxidizing agents.		
10.5	Incompatible	Strong acids, bases, and oxidizing agents.		
10.5	Incompatible Materials:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on		
10.5	Incompatible Materials: Hazardous	Strong acids, bases, and oxidizing agents.		
10.5	Incompatible Materials: Hazardous Decomposition	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on		
10.5 10.6	Incompatible Materials: Hazardous Decomposition	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion.		
10.5 10.6 11. T(Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION		
10.5 10.6 11. T(Inform	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion.		
10.5 10.6 11. T(Inform presen	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INItiation on Toxicological It, and in accordance with nent data not shown.	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INItiation on Toxicological It, and in accordance with nent data not shown. Potential Acute Health	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INItiation on Toxicological It, and in accordance with nent data not shown. Potential Acute Health Eye Contact:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness.		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INItiation on Toxicological It, and in accordance with nent data not shown. Potential Acute Health Eye Contact:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting,		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL IN action on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin.		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL IN action on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations n US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed.		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL IN action on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations n US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INInation on Toxicological Int, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness).		
10.5 10.6 11. T(Inform presen compo	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INInation on Toxicological Int, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations in US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of		
10.5 10.6 11. T(Inform presen compo 11.1	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INInation on Toxicological It, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact: Ingestion:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness).		
10.5 10.6 11. T(Inform presen compo 11.1	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact: Ingestion: Inhalation: Potential Chronic Hea	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). th Effects: None known		
10.5 10.6 11. T(Inform presen compo 11.1	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact: Ingestion: Inhalation: Potential Chronic Heal Acute Toxicity:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations in US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). th Effects: None known Product Summary/Conclusion: Classification criteria are not met.		
10.5 10.6 11. T(Inform presen compo 11.1	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact: Ingestion: Inhalation: Potential Chronic Heal Acute Toxicity:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations in US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). th Effects: None known Product Summary/Conclusion: Classification criteria are not met. Acute Toxicity Estimate: Calculation Method		
10.5 10.6 11. T(Inform presen compo 11.1	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact: Ingestion: Inhalation: Potential Chronic Heal Acute Toxicity:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations in US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system Product Summary/Conclusion: Classification criteria are not met. Acute Toxicity Estimate: Calculation Method Oral: > 11,000 mg/kg		
10.5 10.6 11. T(Inform presen compo 11.1	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact: Ingestion: Inhalation: Potential Chronic Hea Acute Toxicity: Product:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations in US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). No adverse effects: None known Product Summary/Conclusion: Classification criteria are not met. Acute Toxicity Estimate: Calculation Method Oral: > 11,000 mg/kg Dermal: > 32,000 mg/kg		
10.5 10.6 11. T(Inform presen compo 11.1	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact: Ingestion: Inhalation: Potential Chronic Hea Acute Toxicity: Product:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations in US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects: and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). The Effects: None known The Cause of the cause o		
10.5 10.6 11. T(Inform presen compo 11.1	Incompatible Materials: Hazardous Decomposition Products: OXICOLOGICAL INI nation on Toxicological it, and in accordance with nent data not shown. Potential Acute Health Eye Contact: Skin Contact: Ingestion: Inhalation: Potential Chronic Hea Acute Toxicity: Product:	Strong acids, bases, and oxidizing agents. No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion. FORMATION Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations in US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional Effects: and Symptoms: Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness. No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin. No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness).		



Prepared to US-OSHA Standards

B4 Brands AVANT[®] FOAMING HAND SANITIZER

SDS Revision: 3.0

	Skin Corrosion/	Product Summary/Conclusion: Classification criteria are not met.
11.4	Irritation:	Product: Human Repeat Insult Patch Test (3% in distilled water) - No evidence of skin irritation.
		Ethanol: CAS 64-17-5
		Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin
		Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme
		repeat dose situations.
11.5	Serious Eye	Product Summary/Conclusion: Causes serious eye irritation
	Damage/Irritation:	Ethanol: CAS 64-17-5
		Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): GHS Category 2A eye irritant.
11.6	Respiratory or Skin Sensitization:	Product Summary/Conclusion: Classification criteria are not met.
		Product: Human Repeat Insult Patch Test (3% in distilled water) - No evidence of sensitization.
		Ethanol: CAS 64-17-5
		Respiratory Sensitization: No reports of human respiratory sensitization.
		Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.
11.7	Germ Cell	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or
	Mutagenicity:	any components present at greater than 0.1% are mutagenic or genotoxic.
	mutagementy.	Ethanol: CAS 64-17-5
		<i>In-vitro</i> : Negative for bacterial reverse mutation test (OECD 471) in Salomella typhimurium up to
		maximum plate concentration of 10 mg/plate, with and without metabolic activation.
11.8	Carcinogenicity:	No components at levels greater than or equal to 0.1% are listed as carcinogens by IARC, US OSHA or NTP.
11.9	Reproductive	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or
	Toxicity:	any components present at greater than 0.1% cause reproductive or developmental effects.
		Ethanol: CAS 64-17-5
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest
		concentration tested)
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm,
		NOAEL (teratogenicity) > 20,000 ppm (highest concentration tested)
11.10	STOT-Single	Not classified due to lack of data.
	Exposure:	
11.11	STOT-Repeated	Product Summary/Conclusion: Classification criteria are not met.
	Exposure:	Ethanol: CAS 64-17-5
		90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg
		Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm
11.12	Aspiration Hazard:	Not classified due to lack of data.
11.12	Aspiration Hazard:	Not classified due to lack of data.
12. E	COLOGICAL INFO	RMATION
12. E		RMATION Product Summary/Conclusion: Classification criteria are not met.
12. E	COLOGICAL INFO	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5
12. E	COLOGICAL INFO	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae)
12. E	COLOGICAL INFO	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia
12. E	COLOGICAL INFO	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina)
<u>12. E</u> 12.1	COLOGICAL INFO Ecotoxicity:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)
<u>12. E</u> 12.1	COLOGICAL INFO Ecotoxicity: Persistence and	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5
<u>12. E</u> 12.1 12.2	COLOGICAL INFO Ecotoxicity: Persistence and Degradability:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)
<u>12. E</u> 12.1 12.2	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5
12. E 12.1 12.2 12.3	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow)
12. E 12.1 12.2 12.3 12.4	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable
12. E 12.1 12.2 12.3 12.4	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No data available
12. E 12.1 12.2 12.3 12.4	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow)
12. E 12.1 12.2 12.3 12.4 12.5	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 72 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards.
12. E 12.1 12.2 12.3 12.4 12.5 13. D	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 72 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards.
12. E 12.1 12.2 12.3 12.4 12.5 13. D	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 72 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards.
12. E 12.1 12.2 12.3 12.4 12.5 13. D	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards. ERATIONS



Prepared to US-OSHA Standards

B4 Brands AVANT[®] FOAMING HAND SANITIZER

13.2	Special Precautions:	Observe all precautions for ignitable waste.			
13.3	US EPA (RCRA)				
	Hazardous Waste	U.S. EPA Waste Number: RCRA D001/Unlisted Ignitable Hazardous Waste.			
	Classification:				
14. T	RANSPORT INFORI				
14.1	US DOT (GROUND):	Consumer Commodity, Limited Quantity			
14.2	IATA (AIR):	Consumer Commodity, ID 8000, Class 9			
14.3	IMDG (OCEAN):	UN 1170, Ethanol Solutions, Class 3, Packing Group III, Limited Quantity			
14.6	Environmental	INOT requisted			
	Hazards:				
14.7	Transport in Bulk				
	According to Annex II	Not applicable			
	of Marpol and the IBC				
	Code:				
14.8	Special Precautions	Transport within user's premises: Transport in closed containers that are upright and secure. Read SDS and			
	for User:	emergency procedures before handling.			
15. R	EGULATORY INFO	RMATION			
15.1		No chemical components in this product are listed.			
15.2	SARA 304 RQ:	No chemical components in this product are listed.			
15.3	SARA 311/312:	Not applicable - product is exempt.			
15.4	SARA 313:	No chemical components in this product are listed.			
15.5	CERCLA RQ:	RCRA D001/Unlisted Ignitable Hazardous Waste, Ethanol = 100 lbs			
15.6	Clean Air Act (CAA)				
	Section 112(r) TQ:	No chemical components in this product are listed.			
15.7	Clean Water Act				
	(CWA):	No chemical components in this product are listed.			
15.8	California				
	Proposition 65:	This product is not subject to California warning labeling for carcinogens or reproductive toxins.			
16. C	THER INFORMATIC)N			
16.1	Legend:	ACGIH: American Conference of Governmental Industrial Hygienists			
10.1	Logona.	CAS: Chemical Abstracts Service			
		CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act			
		CFR: Code of Federal Regulations			
		DOT: (US) Department of Transportation			
		EC50: Effective Concentration, 50%			
		EPA: (US) Environmental Protection Agency			
		GHS: Globally Harmonized System of Classification and Labeling Chemicals			
		IATA: International Air Transport Association			
		IARC: International Agency for the Research of Cancer			
		IBC: Intermediate Bulk Container			
		IMDG: International Maritime Dangerous Goods			
		LC50: Lethal Concentration, 50%			
		LD50: Lethal Dose, 50%			
		LOAEL: Lowest Observed Adverse Effect Level			
		Log Kow: Logarithm of the n-octanol/water partition coefficient			
		NIOSH: National Institute for Occupational Safety and Health			
		NOAEC: No Observed Adverse Effect Concentration			
		NOAEL: No Observed Adverse Effect Level			
		NTP: National Toxicology Program			
		OECD: Organisation for Economic Co-operation and Development			
		OSHA: (US) Occupational Safety & Health Administration			
		OTC: Over-The-Counter			
		PEL: Permissible Exposure Limit			
		RCRA: Resource Conservation and Recovery Act			
		REL: Recommended Exposure Limit			
		RQ: Reportable Quantity			
L	L				



Prepared to US-OSHA Standards

B4 Brands AVANT[®] FOAMING HAND SANITIZER

SDS Revision: 3.0

		SARA: Superfund Amendments and Reauthorization Act	
		STEL: Short Term Exposure Limit	
		STOT: Specific Target Organ Toxicity	
		TLV: Threshold Limit Value	
		TPQ: Threshold Planning Quantity	
		TQ: Threshold Quantity	
		TWA: Time Weighted Average	
16.2	Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be accurate as of the date of publication. This information is offered in good faith by B4 Brands and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are provided. If this product(s) is combined with other materials, all component properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the nature of the product.	
16.3	Last Revision Date:	21Sep17	
16.4	Reason for Revision:	Updated format and to current regulations.	