

# SAFFTY DATA SHFFT

Stone Logic Neutral Cleaner Concentrate

**Revision Date** 

1/9/2016

## SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Stone Logic Neutral Cleaner Concentrate

ITEM STNC-128C

PRODUCT USE Neutral Cleaner For All Stone Surfaces

COMPANY NAME Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com
EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

## SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 1; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3; SKIN SENSITIZER-Category 1

Environmental ACUTE-Aquatic Toxicity-Category 3; CHRONIC-Aquatic Toxicity-Category 3





DANGER

Causes serious eye damage, Causes skin irritation, May cause an allergic skin reaction, May cause respiratory irritation May be harmful if swallowed, Avoid eye or skin contact, and inhalation of mist, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION – 3	COMPOSITION INFORMATION	(Exact percentage o	f the listed chemicals of composition has been withhele	d as a trade secret)
CHEMICAL NAME	<b>COMMON NAME AND SYNONYMS</b>	CAS#	<u>IMPURITIES</u>	<b>PERCENT</b>
Alcohol Ethoxylate	Alcohols, C9-11, ethoxylated	68439-46-3		1 - 7%
Glycol Ether DPM	Dipropylene Glycol Methyl Ether	34590-94-8		1 - 3%
Hydrogen Peroxide		7722-84-1		4.06%

## SECTION – 4 FIRST AID MEASURES

**EYE CONTACT** Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

## ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, or pain, or possible eye damage, by direct product eye contact

Skin Can cause serious skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause mild irritation, to mucus membranes or respiratory tract

**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

## CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, pain, or possible corneal injury, by direct product eye contact

Skin Causes skin irritation, redness, burning, defatting of the skin which may lead to dermatitis

**Inhalation** Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

## SECTION – 5 FIRE FIGHTING MEASURES

**Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel,

brass

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

#### SECTION - 6 **ACCIDENTAL RELEASE MEASURES**

**Emergency Procedures** Warn personnel of spill

**Personal Precautions** Ventilate area, Avoid slipping on spilled product

**Protective Equipment** Safety Glasses, Gloves

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading

**Clean Up Procedures** Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Dispose of material in accordance with all State and Federal Guidelines and Regulations Disposal

#### SECTION - 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, and adequate ventilation, Avoid eye and skin contact, Avoid inhalation of

mist, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple

rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN. Keep container closed when not in use. Store away from incompatible

materials, Avoid storing in direct sunlight, Stored above 4.4°C (40°F) and below 49°C (120°F)

**Incompatible Materials** Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper,

nickel, brass

#### SECTION - 8 **EXPOSURE CONTROLS / PERSONAL PROTECTION**

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Alcohol Ethoxylate	None Established				EI
Glycol Ether DPM	100 ppm	150 ppm	100 ppm		RT,CNS,SA
Hydrogen Peroxide	1 ppm (1.4 mg/m³)		1 ppm (1.4 mg/m³)		RT

### **PERSONAL PROTECTIVE EQUIPMENT**



Goggles or Face Shield



**Impervious** Chemical Gloves



(Recommended)



V<u>entilation</u> General Ventilation **HMIS HAZARD RATINGS** 

Health Flammability Reactivity **Personal Protection** R

#### SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.01
Flammable Limits	ND	pH (± 0.3)	6.0 - 6.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Mild Citrus	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 92%	Partition Coefficient	ND
VOC	0.012% @ 1:128	Molecular Weight (g/mol)	~ 46.98
LVP-VOC	0.00%	Decomposition Temperature	ND

#### SECTION - 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

**Chemical Stability** Stable when stored above 4.4°C (40°F) and below 49°C (120°F)

**Hazardous Polymerization** Will not occur

**Conditions To Avoid** Incompatible materials, Direct sunlight

**Incompatible Materials** Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper,

nickel, brass

**Thermal Decomposition** Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

### SECTION – 11 TOXICOLOGICAL INFORMATION

### **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

### **ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

Eyes Can cause serious eye irritation, redness, tearing, or pain, or possible eye damage, by direct product eye contact

Skin Can cause serious skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause mild irritation, to mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

### CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, pain, or possible corneal injury, by direct product eye contact

Skin Causes skin irritation, redness, burning, defatting of the skin which may lead to dermatitis

**Inhalation** Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

Acute Tox Calculated Oral: 8,520 mg/kg Dermal: 11,913 mg/kg Inhaled: 17.2 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

**Additional Info** 

Target Organs Respiratory Tract, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

## **CARCINOGENIC – This product contains concentrations above 0.1% of the following:**

CHEMICAL NAMENTPACGIHIARCGHS CategoryNone ListedNANANANA

### MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

#### **COMPONENTS ACUTE TOXICITY**

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
Glycol Ether DPM	LD50	Oral	Rat	5,200 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	5,900 mg/kg		(>2000 mg/kg)
Alcohol Ethoxylate	LD50	Oral	Rat	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
Hydrogen Peroxide	LD50	Oral	Rat	1,270 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Inhaled	Rat	2.0 mg/L	4 Hour (Mist)	4 (>1.0, ≤5 mg/L)

## SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Glycol Ether DPM	LC50	Fathead Minnow (Pimephales promelas)	10,000 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea (Daphnia magna)	1,919 mg/L	48 Hours	4 (>100 mg/L)
	LC50	Rainbow Trout (Oncorhynchus mykiss)	5,000 mg/L	96 Hours	4 (>100 mg/L)
Alcohol Ethoxylate	LD50	Fathead minnow (Pimephales promelas)	140 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea (Daphnia magna)	5.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)
Hydrogen Peroxide	LC50	Fathead Minnow (Pimephales promelas)	16.4 mg/L	96 Hours	3 (>10, ≤100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life

1/9/2016

#### DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

### **ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

## SECTION – 14 TRANSPORT INFORMATION

## **DOT CLASSIFICATION**

<u>UN Number</u> <u>Proper Shipping Name</u> <u>n.o.s. (Chemicals ) or "Limits"</u>

Not Regulated Non Hazardous – Compounds Cleaning Liquid

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lbs)</u> <u>Response</u> <u>Marine Pollutant</u> <u>Hazard Label</u> <u>Secondary</u>

None None None None 154 No

Additional Info:

SECTION – 15 REGULATORY	INFORMATI	ON											
<u>TSCA</u>													
CHEMICAL NAME	Sec 8(b	) Inventory	S	ec 8(d) He	ealth A	and Safety	S	ec 4(a) Che	mical Test F	Rules	Sec 12(I	b) Expor	t Notification
Alcohol ethoxylate	`	⁄es											
Glycol Ether DPM	١	<b>Yes</b>											
Hydrogen Peroxide	`	⁄es											
REPORTABLE QUANTITIES		Extremely	Hazardou	s		Reportable	Quantity	Emissio	n Reporting				
CHEMICAL NAME	EPCRA TI	PQ Sec 302	EPCRA	RQ Sec	304	CERCLA RO	Q Sec 103	TRI	Sec 313	RC	RA Code	RMF	P TQ Sec 112
Glycol Ethers								,	Yes				
Hydrogen Peroxide (> 52%)						100	00						
<u>SARA</u>	S	ection 31	1				Sect	ion 311 / 3	312 Hazaro	ls			
CHEMICAL NAME	Hazar	dous Che	emical		Acute		Chronic	F	ammable		Pressure		Reactive
Alcohol Ethoxylate		Yes			Yes								
Glycol Ether DPM		Yes			Yes				Yes				
Hydrogen Peroxide		Yes			Yes		Yes						Yes
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Glycol Ether DPM						Yes		Yes			Yes		
Hydrogen Peroxide						Yes		Yes			Yes		
<u>CALIFORNIA</u>			WARNI	NG! This	s pro	duct conta	ins cher	nicals kn	own to the	state	of Califorr	nia to c	ause:
CHEMICAL NAME	CAS#		Birth D	efects		Reprodu	ctive Ha	rm	Carcino	gen		Develo	pmental
None Listed													
CLEAN AIR WATER ACTS			Clean	Air Acts	s				C	lean V	Vater Acts	i	
CHEMICAL NAME	CAS#		HAP		Ozoı	ne Class 1	Ozo	ne Class	2 H	IS	PP		TP
None Listed													
INTERNATIONAL REGULATIONS	- The comp	onents of	this prod	uct are li	isted o	on the cher	nical inve	entories of	the followi	ng cou	ntries:		
CHEMICAL NAME	Aust	ralia	Ca	anada	E	urope (Ell	NECS)	Japa	an	K	orea		UK
Alcohol Ethoxylate	Ye	es	,	Yes		Yes		Ye	3	`	⁄es		Yes
Hydrogen Peroxide	Ye	es		Yes		Yes		Ye	S	\	⁄es		Yes
WHMIS Classification													
CHEMICAL NAME		DSL	Class	Descr	iption	<u> </u>							
Alcohol Ethoxylate, Hydrogen Pe	roxide	Yes	D-2B	Mater	ials (	Causing C	ther To	kic Effect	s; Toxic M	lateria	I		
Hydrogen Peroxide			С	Oxidiz	zing N	Material							

## SECTION – 16 OTHER INFORMATION

SDS	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

## Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 1/22/2016

Supersedes Safety Data Sheet Dated